

AMENDMED CLAIMS UNDER 19 article

1. (Amended) A connecting device comprising:

a bendable member which has enough restoring force
and rigidity to restore a bent state to an unbent state
5 and foldably connects two housing portions separated from
each other by a predetermined distance,

wherein the bendable member is a thin plate having an
arc shape in sectional view.

10 2. A connecting device comprising:

a sheet-shaped member having flexibility on which two
housing portions are fixed at a predetermined gap; and

a bendable member which has enough restoring force
and rigidity to restore a bent state to an unbent state.
15 and is attached to the two housing portions so as to be
overlapped with the sheet-shaped member.

3. (Canceled)

20 4. (Amended) The connecting device according to claims 1
and 2,

wherein the bendable member is attached to the two
housing portions, with a concave portion thereof oriented
in a direction where the two housing portions are folded.

5. (Amended) The connecting device according to any one of claims 2 and 4,

wherein the sheet-shaped member has a folding force generating means for generating folding force to hold the
5 folded state of the housing portions at a substantially central region thereof corresponding to the gap between the two housing portions.

6. (Amended) The connecting device according to any one of
10 claims 2, 4 and 5,

wherein the sheet-shaped member includes a stopper that is bent to temporarily hold the folded state of the two housing portions.

15 7. A connecting device comprising:

a connecting portion which foldably connects two housing portions;

a flexible wiring member which connects the two housing portions such that they can communicate with each
20 other; and

a receiving antenna which is connected to one of the two housing portions.

8. (Amended) An electronic apparatus comprising:

25 two housing portions; and

the connecting device according to claim 1 and any one of claims 2 to 6 that foldably connects the two housing portions.

5 9. The electronic apparatus according to claim 7, further comprising;

a display unit that is provided in one of the two housing portions; and

10 an operating unit that is provided in the other housing portion,

wherein, when the two housing portions are in a folded state, the display unit and the operating unit are arranged opposite to each other.

15 10. The electronic apparatus according to claim 7, wherein the bendable member has a curved shape in sectional view,

both ends of the bendable member in the longitudinal direction are fixed to leading ends of bosses provided on
20 the two housing portions, and

the leading ends of the bosses have spherical shapes.

11. The electronic apparatus according to claim 7,
wherein the bendable member has a curved shape in
25 sectional view,

both ends of the bendable member in the longitudinal direction are fixed to leading ends of bosses provided on the two housing portions, and

the leading ends of the bosses each have R portions
5 opposite to each other.

12. A folding portable terminal apparatus
comprising:

an upper housing portion which has a display unit
10 provided therein;

a lower housing portion which has an operating unit
provided therein; and

a connecting portion which foldably connects the
upper housing portion and the lower housing portion,
15 wherein the connecting portion includes a plurality
of connecting plates each having a curved portion that is
curved on an axis parallel to a connecting direction
thereof.

20 13. The folding portable terminal apparatus
according to claim 12,

wherein the plurality of connecting plates overlap
each other.